



Hornsea 4 Feedback form

Formal Consultation: 13 August to 23 September 2019

We want to hear your thoughts on our proposals.

If you have attended one of our local information events, viewed our latest proposals online or in hard copy at one of our Community Access Points (CAP Sites), you can provide your feedback using this form or via the following contact details:



Email us at:
contact@hornseaprojectfour.co.uk



Call our freephone information line:
0808 169 3030



Write to us at:
Freepost Hornsea Four



View our proposals online at:
hornsea4feedback.commonplace.is

Please note that the deadline for the submission of feedback is **Monday 23 September 2019**.

You do not have to supply personal details however it will help us to work towards meeting the needs of the public during the consultation period and to enable us to contact you with updates on our project. Your personal details will be stored in compliance with GDPR by Counter Context acting on behalf of Ørsted.

About you

Name Title Date

Organisation:
(if applicable)

Address

Postcode Telephone

Email

How would you describe your interest in Hornsea Four Offshore Wind Farm?

- Landowner Local resident Local representative Statutory body
 Local business Other (please specify)

If you are representing an organisation/business, please state above.

Our consultation process

Have you attended one of our local information events?

- Yes No

How did you find the consultation event and our updated proposals?

- Very informative Informative Quite informative Not informative
 No opinion

Would you like to receive our community newsletters to keep up to date with the progress of Hornsea Four offshore wind farm? (tick all that apply)

- Yes, via email Yes, via post No thanks

Our onshore and offshore proposals

When answering the questions below, please refer to a specific area of the project that you are providing feedback on. Let us know your main concerns/interests in this area (including whether the location is suitable for this element of Hornsea Four).

We would like your feedback on the following areas:

- Onshore export cable corridor
- Onshore substation
- Logistics compounds
- Construction access points
- Landfall site
- Offshore array area and offshore export cables

Do you have any comments on our onshore export cable corridor, currently 80m in width and 40 km in length?

Our onshore export cables will be buried underground from the landfall, routed via the onshore substation and connected to National Grid's Creyke Beck substation.

Do you have any comments on our proposed onshore substation, located near to the existing Creyke Beck substation?

The onshore substation and Energy Balancing Infrastructure (EBI) may require an area of up to 155,000m² (approximately 38 acres) of land, and a temporary works area of 130,000m² (approximately 32 acres).

[Empty text input area for comments on the proposed onshore substation]

Do you have any comments on the locations of our logistics compounds?

We are proposing eight temporary logistics compounds, which will be located along the cable corridor to store materials, plant and staff facilities. All logistics compounds will be removed, and sites restored to their original condition post-construction.

[Empty text input area for comments on the locations of logistics compounds]

Do you have any comments on our construction access points?

Various access and haul roads are being proposed from the public highway onto parts of the Hornsea Four onshore route.

This includes temporary access points installed to facilitate access during construction for landfall, along the onshore cable corridor and at the onshore substation.

This will help to ensure that Hornsea Four can honour its commitments to avoid noise sensitive receptors and ensure environmental impacts on local residents are minimised.

[Empty text input area for comments on construction access points]

Do you have any comments on our two landfall options, which have been assessed for our Preliminary Environmental Information Report (PEIR)?

Our export cable will be brought ashore near Fraisthorpe. We have assessed two landfall sites for our PEIR. Based on your feedback and further studies, a preferred landfall option will be taken forward as part of our Development Consent Order application.

[Empty text input area for comments on landfall options]

Do you have any comments on our offshore array area and offshore export cable?

The offshore array area is 600 km². Located approximately 65 km off the Yorkshire coast, this is where up to 180 offshore wind turbines, array and interconnector cables, and up to 3 HVAC booster stations and offshore accommodation platforms will be situated.

[Empty text input area for comments on offshore array area and export cable]

Other (please detail)

Please provide feedback on any other aspects of the project infrastructure that are important to you.

[Empty text input area for other feedback]

Our mitigation proposals and commitments

We are proposing a range of mitigation measures and commitments to reduce and/or eliminate significant effects of Hornsea Four throughout the project's lifespan.

Our commitments register sets out the mitigation measures and commitments made in the design and delivery of Hornsea Four to minimise any impacts and effects. If you are unfamiliar with our commitments register, please speak to a member of the project team at one of our events or get in touch via the contact details at the end of this feedback form.

We welcome your feedback on the design elements of our proposals. You can find this information online at [hornsea4feedback.commonplace.is](https://www.hornsea4feedback.commonplace.is) or on our displays shown at our local information events. We are showing:

- 1) Visualisations of how Hornsea Four could look once constructed, including various photomontages.
- 2) Design finishes of the Hornsea Four onshore substation.
- 3) Landscape and screening mitigation plans around the Hornsea Four onshore substation

Based on the information you have seen, do you have any comments on our mitigation proposals for Hornsea Four?

What further commitments/mitigations would you like to see Ørsted make within the design of Hornsea Four to reduce any significant effects?

- | | | |
|--|---|--|
| <input type="radio"/> Landscape planting | <input type="radio"/> Biodiversity enhancements | <input type="radio"/> Reinstatement of landscape |
| <input type="radio"/> Management plans | <input type="radio"/> Local road network works | <input type="radio"/> Noise attenuation |
| <input type="radio"/> Drainage | <input type="radio"/> Other (please specify) | <div style="background-color: #f0f0f0; width: 200px; height: 15px;"></div> |

Proposed commitment:

Topic-specific feedback

Which aspects of the project are most important to you?

Please tick all that apply and elaborate on any issues using the text boxes provided, informing us of any local issues that are important to you.



Onshore ecology

We have undertaken detailed assessments and surveys into the impact of Hornsea Four on local ecology.

Please indicate any animal, bird or plant species, habitats or ecological designated sites that are particularly important to you in your area and any concerns you may have should Hornsea Four be developed.



Hydrology and flood risk

Community consultation has highlighted that flood risk is an important issue for the people of East Riding of Yorkshire. Please indicate any concerns you may have about flood risk in the local area.



Landscape and visual impact

Please provide feedback on our mitigation proposals to limit landscape and visual impact onshore (including for our onshore export cable corridor, landfall and onshore substation).



Land use, agriculture, socioeconomics and recreation

Please indicate any issues that are important to you related to Public Rights of Way (PRoW), tourism and socioeconomics.

Please also indicate any PRoW and cycle paths that are important to you.



Traffic and transport

Please provide feedback on our local transport assessments, access roads and use of the local road network (e.g. A164 and A1079).



Noise and vibration

We have ensured that the onshore cable route avoids all noise sensitive properties by at least 50m.

Please indicate any concerns you may have about noise and vibration.

Four horizontal grey bars for input.



Offshore ecology

We have undertaken detailed assessments and surveys into the potential impact of Hornsea Four on offshore ecology.

Please indicate any concerns you have for offshore ecology (including marine mammals, birds, fish and shellfish).

Four horizontal grey bars for input.



Other (please detail)

Four horizontal grey bars for input.

Environmental Impact Assessment (EIA)

Do you have any comments on the surveys and assessments carried out to date by the project as detailed in the PEIR?

A non-technical summary (NTS) of the full PEIR, which summarises the key findings of our surveys and assessments, is also available to view online at hornseaprojects.co.uk/Hornsea-Project-Four/Documents-Library/Formal-Consultation

Thirteen horizontal grey bars for input.

Based on the proposals you have seen presented and the information in the PEIR, what are your views on Hornsea Four?

- Strongly support Support No opinion
 Oppose Strongly oppose

If you answered oppose or strongly oppose, please provide a brief explanation for your selection.

Please return this feedback form to us in person at one of our events, via post, email or through our online feedback form.

To provide your views via post, put this feedback form in an envelope and address it to **Freepost: Hornsea Four. You will not need a stamp.**



Email us at:
contact@hornseaprojectfour.co.uk



Call our freephone information line:
0808 169 3030



Write to us at:
Freepost Hornsea Four



View our proposals online at:
hornsea4feedback.commonplace.is