

Appendix 12-4 – Tabulated Omni-directional Results – Upper End of Turbine Results



NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H001	14.2	19.4	23.9	25.9	25.9	25.9	25.9
H002	14.2	19.4	23.9	25.9	25.9	25.9	25.9
H003	13.3	18.5	23	25	25	25	25
H022	12.1	17.3	21.8	23.8	23.8	23.8	23.8
H023	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H024	12	17.2	21.7	23.7	23.7	23.7	23.7
H025	14	19.2	23.7	25.7	25.7	25.7	25.7
H026	7.9	13.1	17.6	19.6	19.6	19.6	19.6
H027	7.7	12.9	17.4	19.4	19.4	19.4	19.4
H028	7.4	12.6	17.1	19.1	19.1	19.1	19.1
H029	20.4	25.6	30.1	32.1	32.1	32.1	32.1
H030	22.4	27.6	32.1	34.1	34.1	34.1	34.1
H031	14	19.2	23.7	25.7	25.7	25.7	25.7
H032	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H033	7.8	13	17.5	19.5	19.5	19.5	19.5
H034	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H035	10.3	15.5	20	22	22	22	22
H036	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H037	11.5	16.7	21.2	23.2	23.2	23.2	23.2
H038	11.5	16.7	21.2	23.2	23.2	23.2	23.2
H039	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H040	11.9	17.1	21.6	23.6	23.6	23.6	23.6
H041	11.6	16.8	21.3	23.3	23.3	23.3	23.3
H042	11.4	16.6	21.1	23.1	23.1	23.1	23.1
H043	11.5	16.7	21.2	23.2	23.2	23.2	23.2
H044	22.7	27.9	32.4	34.4	34.4	34.4	34.4
H045	22.8	28	32.5	34.5	34.5	34.5	34.5
H046	23.1	28.3	32.8	34.8	34.8	34.8	34.8
H047	23.6	28.8	33.3	35.3	35.3	35.3	35.3
H048	15	20.2	24.7	26.7	26.7	26.7	26.7
H049	10.8	16	20.5	22.5	22.5	22.5	22.5
H050	11.5	16.7	21.2	23.2	23.2	23.2	23.2
H051	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H052	7.2	12.4	16.9	18.9	18.9	18.9	18.9
H053	7.9	13.1	17.6	19.6	19.6	19.6	19.6
H054	18.4	23.6	28.1	30.1	30.1	30.1	30.1
H055	18.4	23.6	28.1	30.1	30.1	30.1	30.1
H056	18.5	23.7	28.2	30.2	30.2	30.2	30.2
H057	18.5	23.7	28.2	30.2	30.2	30.2	30.2
H058	18.9	24.1	28.6	30.6	30.6	30.6	30.6
H059	19.8	25	29.5	31.5	31.5	31.5	31.5
H060	23.7	28.9	33.4	35.4	35.4	35.4	35.4
H061	23.7	28.9	33.4	35.4	35.4	35.4	35.4

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H062	24.8	30	34.5	36.5	36.5	36.5	36.5
H063	25.1	30.3	34.8	36.8	36.8	36.8	36.8
H064	28.7	33.9	38.4	40.4	40.4	40.4	40.4
H065	28.4	33.6	38.1	40.1	40.1	40.1	40.1
H066	28.4	33.6	38.1	40.1	40.1	40.1	40.1
H067	27.3	32.5	37	39	39	39	39
H068	26.6	31.8	36.3	38.3	38.3	38.3	38.3
H069	21.7	26.9	31.4	33.4	33.4	33.4	33.4
H070	27.7	32.9	37.4	39.4	39.4	39.4	39.4
H071	19	24.2	28.7	30.7	30.7	30.7	30.7
H072	23.2	28.4	32.9	34.9	34.9	34.9	34.9
H073	23.4	28.6	33.1	35.1	35.1	35.1	35.1
H074	24.5	29.7	34.2	36.2	36.2	36.2	36.2
H075	18.1	23.3	27.8	29.8	29.8	29.8	29.8
H076	23.6	28.8	33.3	35.3	35.3	35.3	35.3
H077	17	22.2	26.7	28.7	28.7	28.7	28.7
H078	17.3	22.5	27	29	29	29	29
H079	23.6	28.8	33.3	35.3	35.3	35.3	35.3
H080	23.9	29.1	33.6	35.6	35.6	35.6	35.6
H081	24.1	29.3	33.8	35.8	35.8	35.8	35.8
H082	24.9	30.1	34.6	36.6	36.6	36.6	36.6
H083	24.7	29.9	34.4	36.4	36.4	36.4	36.4
H084	24.1	29.3	33.8	35.8	35.8	35.8	35.8
H085	10.2	15.4	19.9	21.9	21.9	21.9	21.9
H086	10.1	15.3	19.8	21.8	21.8	21.8	21.8
H087	10.1	15.3	19.8	21.8	21.8	21.8	21.8
H088	13.2	18.4	22.9	24.9	24.9	24.9	24.9
H089	14.3	19.5	24	26	26	26	26
H090	14.3	19.5	24	26	26	26	26
H091	15.1	20.3	24.8	26.8	26.8	26.8	26.8
H092	15.1	20.3	24.8	26.8	26.8	26.8	26.8
H093	15.4	20.6	25.1	27.1	27.1	27.1	27.1
H094	15.9	21.1	25.6	27.6	27.6	27.6	27.6
H095	14.9	20.1	24.6	26.6	26.6	26.6	26.6
H096	14.6	19.8	24.3	26.3	26.3	26.3	26.3
H097	10.3	15.5	20	22	22	22	22
H098	18.1	23.3	27.8	29.8	29.8	29.8	29.8
H099	19.1	24.3	28.8	30.8	30.8	30.8	30.8
H100	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H101	25.4	30.6	35.1	37.1	37.1	37.1	37.1
H102	25	30.2	34.7	36.7	36.7	36.7	36.7
H103	21.9	27.1	31.6	33.6	33.6	33.6	33.6
H104	24.7	29.9	34.4	36.4	36.4	36.4	36.4

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H105	24.7	29.9	34.4	36.4	36.4	36.4	36.4
H106	24.7	29.9	34.4	36.4	36.4	36.4	36.4
H107	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H108	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H109	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H110	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H111	22.7	27.9	32.4	34.4	34.4	34.4	34.4
H112	23.1	28.3	32.8	34.8	34.8	34.8	34.8
H113	22	27.2	31.7	33.7	33.7	33.7	33.7
H114	21.9	27.1	31.6	33.6	33.6	33.6	33.6
H115	20.3	25.5	30	32	32	32	32
H116	19.5	24.7	29.2	31.2	31.2	31.2	31.2
H117	10.1	15.3	19.8	21.8	21.8	21.8	21.8
H118	28	33.2	37.7	39.7	39.7	39.7	39.7
H119	26.5	31.7	36.2	38.2	38.2	38.2	38.2
H120	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H121	18.1	23.3	27.8	29.8	29.8	29.8	29.8
H122	18.3	23.5	28	30	30	30	30
H123	18.4	23.6	28.1	30.1	30.1	30.1	30.1
H124	15.1	20.3	24.8	26.8	26.8	26.8	26.8
H125	11.4	16.6	21.1	23.1	23.1	23.1	23.1
H126	13	18.2	22.7	24.7	24.7	24.7	24.7
H127	18.5	23.7	28.2	30.2	30.2	30.2	30.2
H128	18.5	23.7	28.2	30.2	30.2	30.2	30.2
H129	13	18.2	22.7	24.7	24.7	24.7	24.7
H130	14.5	19.7	24.2	26.2	26.2	26.2	26.2
H131	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H132	24.8	30	34.5	36.5	36.5	36.5	36.5
H133	24.8	30	34.5	36.5	36.5	36.5	36.5
H134	23.9	29.1	33.6	35.6	35.6	35.6	35.6
H135	24.4	29.6	34.1	36.1	36.1	36.1	36.1
H136	23.5	28.7	33.2	35.2	35.2	35.2	35.2
H137	23.7	28.9	33.4	35.4	35.4	35.4	35.4
H138	23.1	28.3	32.8	34.8	34.8	34.8	34.8
H139	21.3	26.5	31	33	33	33	33
H140	21.8	27	31.5	33.5	33.5	33.5	33.5
H141	22.3	27.5	32	34	34	34	34
H142	22.3	27.5	32	34	34	34	34
H143	21.5	26.7	31.2	33.2	33.2	33.2	33.2
H144	21.1	26.3	30.8	32.8	32.8	32.8	32.8
H145	19.8	25	29.5	31.5	31.5	31.5	31.5
H146	18.7	23.9	28.4	30.4	30.4	30.4	30.4
H147	17.3	22.5	27	29	29	29	29

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H148	17.7	22.9	27.4	29.4	29.4	29.4	29.4
H149	25	30.2	34.7	36.7	36.7	36.7	36.7
H150	12	17.2	21.7	23.7	23.7	23.7	23.7
H151	12	17.2	21.7	23.7	23.7	23.7	23.7
H152	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H153	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H154	20.1	25.3	29.8	31.8	31.8	31.8	31.8
H155	18.7	23.9	28.4	30.4	30.4	30.4	30.4
H156	14.9	20.1	24.6	26.6	26.6	26.6	26.6
H157	16.7	21.9	26.4	28.4	28.4	28.4	28.4
H158	14.5	19.7	24.2	26.2	26.2	26.2	26.2
H159	12.5	17.7	22.2	24.2	24.2	24.2	24.2
H160	13.3	18.5	23	25	25	25	25
H161	18.5	23.7	28.2	30.2	30.2	30.2	30.2
H162	21.5	26.7	31.2	33.2	33.2	33.2	33.2
H163	16.6	21.8	26.3	28.3	28.3	28.3	28.3
H164	9.9	15.1	19.6	21.6	21.6	21.6	21.6
H165	9.8	15	19.5	21.5	21.5	21.5	21.5
H166	10.6	15.8	20.3	22.3	22.3	22.3	22.3
H167	14.4	19.6	24.1	26.1	26.1	26.1	26.1
H168	15.4	20.6	25.1	27.1	27.1	27.1	27.1
H169	13.7	18.9	23.4	25.4	25.4	25.4	25.4
H170	15	20.2	24.7	26.7	26.7	26.7	26.7
H171	19.7	24.9	29.4	31.4	31.4	31.4	31.4
H172	19.4	24.6	29.1	31.1	31.1	31.1	31.1
H173	19.2	24.4	28.9	30.9	30.9	30.9	30.9
H174	12.3	17.5	22	24	24	24	24
H175	11.1	16.3	20.8	22.8	22.8	22.8	22.8
H176	11	16.2	20.7	22.7	22.7	22.7	22.7
H177	13	18.2	22.7	24.7	24.7	24.7	24.7
H178	11.6	16.8	21.3	23.3	23.3	23.3	23.3
H179	14.7	19.9	24.4	26.4	26.4	26.4	26.4
H180	15.2	20.4	24.9	26.9	26.9	26.9	26.9
H181	15.5	20.7	25.2	27.2	27.2	27.2	27.2
H182	16.4	21.6	26.1	28.1	28.1	28.1	28.1
H183	16.1	21.3	25.8	27.8	27.8	27.8	27.8
H184	16.1	21.3	25.8	27.8	27.8	27.8	27.8
H185	16.2	21.4	25.9	27.9	27.9	27.9	27.9
H186	16.3	21.5	26	28	28	28	28
H187	14	19.2	23.7	25.7	25.7	25.7	25.7
H188	14.6	19.8	24.3	26.3	26.3	26.3	26.3
H189	19.3	24.5	29	31	31	31	31
H190	14.7	19.9	24.4	26.4	26.4	26.4	26.4

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H191	14.3	19.5	24	26	26	26	26
H192	18.3	23.5	28	30	30	30	30
H193	15	20.2	24.7	26.7	26.7	26.7	26.7
H194	15	20.2	24.7	26.7	26.7	26.7	26.7
H195	14.9	20.1	24.6	26.6	26.6	26.6	26.6
H196	14.8	20	24.5	26.5	26.5	26.5	26.5
H197	14.8	20	24.5	26.5	26.5	26.5	26.5
H198	14.9	20.1	24.6	26.6	26.6	26.6	26.6
H199	15	20.2	24.7	26.7	26.7	26.7	26.7
H200	15	20.2	24.7	26.7	26.7	26.7	26.7
H201	12.5	17.7	22.2	24.2	24.2	24.2	24.2
H202	12.5	17.7	22.2	24.2	24.2	24.2	24.2
H203	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H204	8.2	13.4	17.9	19.9	19.9	19.9	19.9
H205	18.2	23.4	27.9	29.9	29.9	29.9	29.9
H206	19.5	24.7	29.2	31.2	31.2	31.2	31.2
H207	19.4	24.6	29.1	31.1	31.1	31.1	31.1
H208	19.5	24.7	29.2	31.2	31.2	31.2	31.2
H209	19.6	24.8	29.3	31.3	31.3	31.3	31.3
H210	23	28.2	32.7	34.7	34.7	34.7	34.7
H211	24.3	29.5	34	36	36	36	36
H212	20.5	25.7	30.2	32.2	32.2	32.2	32.2
H213	15.5	20.7	25.2	27.2	27.2	27.2	27.2
H214	18.6	23.8	28.3	30.3	30.3	30.3	30.3
H215	18.2	23.4	27.9	29.9	29.9	29.9	29.9
H216	19.9	25.1	29.6	31.6	31.6	31.6	31.6
H217	10	15.2	19.7	21.7	21.7	21.7	21.7
H218	27	32.2	36.7	38.7	38.7	38.7	38.7
H219	10.3	15.5	20	22	22	22	22
H220	18.2	23.4	27.9	29.9	29.9	29.9	29.9
H221	20.7	25.9	30.4	32.4	32.4	32.4	32.4
H222	21.1	26.3	30.8	32.8	32.8	32.8	32.8
H223	27.7	32.9	37.4	39.4	39.4	39.4	39.4
H224	28.6	33.8	38.3	40.3	40.3	40.3	40.3
H225	20.9	26.1	30.6	32.6	32.6	32.6	32.6
H226	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H227	16.8	22	26.5	28.5	28.5	28.5	28.5
H228	18.2	23.4	27.9	29.9	29.9	29.9	29.9
H229	14.7	19.9	24.4	26.4	26.4	26.4	26.4
H230	15.1	20.3	24.8	26.8	26.8	26.8	26.8
H231	15.1	20.3	24.8	26.8	26.8	26.8	26.8
H232	7.9	13.1	17.6	19.6	19.6	19.6	19.6
H233	7.5	12.7	17.2	19.2	19.2	19.2	19.2

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H234	8.1	13.3	17.8	19.8	19.8	19.8	19.8
H235	8.3	13.5	18	20	20	20	20
H236	8.7	13.9	18.4	20.4	20.4	20.4	20.4
H237	15.6	20.8	25.3	27.3	27.3	27.3	27.3
H238	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H239	11	16.2	20.7	22.7	22.7	22.7	22.7
H240	24.1	29.3	33.8	35.8	35.8	35.8	35.8
H241	19	24.2	28.7	30.7	30.7	30.7	30.7
H242	18.8	24	28.5	30.5	30.5	30.5	30.5
H243	19.6	24.8	29.3	31.3	31.3	31.3	31.3
H244	13	18.2	22.7	24.7	24.7	24.7	24.7
H245	16.1	21.3	25.8	27.8	27.8	27.8	27.8
H246	16.7	21.9	26.4	28.4	28.4	28.4	28.4
H247	20.6	25.8	30.3	32.3	32.3	32.3	32.3
H248	24.4	29.6	34.1	36.1	36.1	36.1	36.1
H249	23.1	28.3	32.8	34.8	34.8	34.8	34.8
H250	22.4	27.6	32.1	34.1	34.1	34.1	34.1
H251	11.3	16.5	21	23	23	23	23
H252	18.3	23.5	28	30	30	30	30
H253	14.4	19.6	24.1	26.1	26.1	26.1	26.1
H254	14.3	19.5	24	26	26	26	26
H256	17.5	22.7	27.2	29.2	29.2	29.2	29.2
H257	23.5	28.7	33.2	35.2	35.2	35.2	35.2
H258	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H259	24.5	29.7	34.2	36.2	36.2	36.2	36.2
H260	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H261	24.7	29.9	34.4	36.4	36.4	36.4	36.4
H262	21	26.2	30.7	32.7	32.7	32.7	32.7
H263	22.2	27.4	31.9	33.9	33.9	33.9	33.9
H264	23.6	28.8	33.3	35.3	35.3	35.3	35.3
H265	24.2	29.4	33.9	35.9	35.9	35.9	35.9
H266	24	29.2	33.7	35.7	35.7	35.7	35.7
H267	23.4	28.6	33.1	35.1	35.1	35.1	35.1
H268	12.8	18	22.5	24.5	24.5	24.5	24.5
H269	12.8	18	22.5	24.5	24.5	24.5	24.5
H270	13.4	18.6	23.1	25.1	25.1	25.1	25.1
H271	13.3	18.5	23	25	25	25	25
H272	13	18.2	22.7	24.7	24.7	24.7	24.7
H273	13	18.2	22.7	24.7	24.7	24.7	24.7
H274	13.3	18.5	23	25	25	25	25
H275	12.6	17.8	22.3	24.3	24.3	24.3	24.3
H276	16.1	21.3	25.8	27.8	27.8	27.8	27.8
H277	17.1	22.3	26.8	28.8	28.8	28.8	28.8

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H278	18	23.2	27.7	29.7	29.7	29.7	29.7
H279	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H280	24.7	29.9	34.4	36.4	36.4	36.4	36.4
H281	13.6	18.8	23.3	25.3	25.3	25.3	25.3
H282	21	26.2	30.7	32.7	32.7	32.7	32.7
H283	23.9	29.1	33.6	35.6	35.6	35.6	35.6
H284	15	20.2	24.7	26.7	26.7	26.7	26.7
H285	14.9	20.1	24.6	26.6	26.6	26.6	26.6
H286	7.6	12.8	17.3	19.3	19.3	19.3	19.3
H287	18.3	23.5	28	30	30	30	30
H288	13.2	18.4	22.9	24.9	24.9	24.9	24.9
H289	14.8	20	24.5	26.5	26.5	26.5	26.5
H290	13.4	18.6	23.1	25.1	25.1	25.1	25.1
H291	12.7	17.9	22.4	24.4	24.4	24.4	24.4
H292	12.9	18.1	22.6	24.6	24.6	24.6	24.6
H293	24.9	30.1	34.6	36.6	36.6	36.6	36.6
H294	10	15.2	19.7	21.7	21.7	21.7	21.7
H295	10.5	15.7	20.2	22.2	22.2	22.2	22.2
H296	10.6	15.8	20.3	22.3	22.3	22.3	22.3
H297	15.2	20.4	24.9	26.9	26.9	26.9	26.9
H298	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H299	13.3	18.5	23	25	25	25	25
H300	13.4	18.6	23.1	25.1	25.1	25.1	25.1
H301	11.3	16.5	21	23	23	23	23
H302	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H303	18.2	23.4	27.9	29.9	29.9	29.9	29.9
H304	24.5	29.7	34.2	36.2	36.2	36.2	36.2
H305	24.4	29.6	34.1	36.1	36.1	36.1	36.1
H306	22.1	27.3	31.8	33.8	33.8	33.8	33.8
H307	22.3	27.5	32	34	34	34	34
H308	20	25.2	29.7	31.7	31.7	31.7	31.7
H309	20	25.2	29.7	31.7	31.7	31.7	31.7
H310	18.9	24.1	28.6	30.6	30.6	30.6	30.6
H311	18.2	23.4	27.9	29.9	29.9	29.9	29.9
H312	21.4	26.6	31.1	33.1	33.1	33.1	33.1
H313	7.6	12.8	17.3	19.3	19.3	19.3	19.3
H314	8.1	13.3	17.8	19.8	19.8	19.8	19.8
H315	7.4	12.6	17.1	19.1	19.1	19.1	19.1
H316	14.2	19.4	23.9	25.9	25.9	25.9	25.9
H317	25.6	30.8	35.3	37.3	37.3	37.3	37.3
H318	25.1	30.3	34.8	36.8	36.8	36.8	36.8
H319	14.9	20.1	24.6	26.6	26.6	26.6	26.6
H320	25	30.2	34.7	36.7	36.7	36.7	36.7

NSL	Predicted LA90 Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H321	25	30.2	34.7	36.7	36.7	36.7	36.7
H322	24.8	30	34.5	36.5	36.5	36.5	36.5
H323	12	17.2	21.7	23.7	23.7	23.7	23.7
H324	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H325	12.1	17.3	21.8	23.8	23.8	23.8	23.8
H326	12.7	17.9	22.4	24.4	24.4	24.4	24.4
H327	12.1	17.3	21.8	23.8	23.8	23.8	23.8
H328	10.9	16.1	20.6	22.6	22.6	22.6	22.6
H329	14.9	20.1	24.6	26.6	26.6	26.6	26.6
H330	10.8	16	20.5	22.5	22.5	22.5	22.5
H331	14.6	19.8	24.3	26.3	26.3	26.3	26.3
H332	13.6	18.8	23.3	25.3	25.3	25.3	25.3
H333	7.6	12.8	17.3	19.3	19.3	19.3	19.3
H334	11.4	16.6	21.1	23.1	23.1	23.1	23.1
H335	8.5	13.7	18.2	20.2	20.2	20.2	20.2
H336	28	33.2	37.7	39.7	39.7	39.7	39.7
H337	12	17.2	21.7	23.7	23.7	23.7	23.7
H338	7.9	13.1	17.6	19.6	19.6	19.6	19.6
H339	18.9	24.1	28.6	30.6	30.6	30.6	30.6
H340	21.3	26.5	31	33	33	33	33
H341	19.3	24.5	29	31	31	31	31
H342	19.5	24.7	29.2	31.2	31.2	31.2	31.2
H343	19.6	24.8	29.3	31.3	31.3	31.3	31.3
H344	22.7	27.9	32.4	34.4	34.4	34.4	34.4
H345	7.8	13	17.5	19.5	19.5	19.5	19.5
H346	7.8	13	17.5	19.5	19.5	19.5	19.5
H347	7.8	13	17.5	19.5	19.5	19.5	19.5
H348	7.7	12.9	17.4	19.4	19.4	19.4	19.4
H349	7.9	13.1	17.6	19.6	19.6	19.6	19.6
H350	15.2	20.4	24.9	26.9	26.9	26.9	26.9
H351	16.4	21.6	26.1	28.1	28.1	28.1	28.1
H352	16.3	21.5	26	28	28	28	28
H353	26.8	32	36.5	38.5	38.5	38.5	38.5
H354	8.7	13.9	18.4	20.4	20.4	20.4	20.4
H355	15.5	20.7	25.2	27.2	27.2	27.2	27.2
H356	16.1	21.3	25.8	27.8	27.8	27.8	27.8
H357	12.8	18	22.5	24.5	24.5	24.5	24.5
H358	12.1	17.3	21.8	23.8	23.8	23.8	23.8
H359	12.7	17.9	22.4	24.4	24.4	24.4	24.4
H360	12	17.2	21.7	23.7	23.7	23.7	23.7
H361	11.1	16.3	20.8	22.8	22.8	22.8	22.8
H362	24.5	29.7	34.2	36.2	36.2	36.2	36.2
H363	28	33.2	37.7	39.7	39.7	39.7	39.7

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H364	14.4	19.6	24.1	26.1	26.1	26.1	26.1
H365	14.3	19.5	24	26	26	26	26
H366	11.4	16.6	21.1	23.1	23.1	23.1	23.1
H367	16.7	21.9	26.4	28.4	28.4	28.4	28.4
H368	22	27.2	31.7	33.7	33.7	33.7	33.7
H369	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H370	15	20.2	24.7	26.7	26.7	26.7	26.7
H371	22.2	27.4	31.9	33.9	33.9	33.9	33.9
H372	10.2	15.4	19.9	21.9	21.9	21.9	21.9
H373	19.7	24.9	29.4	31.4	31.4	31.4	31.4
H374	24.8	30	34.5	36.5	36.5	36.5	36.5
H375	24.1	29.3	33.8	35.8	35.8	35.8	35.8
H376	21.1	26.3	30.8	32.8	32.8	32.8	32.8
H377	14.8	20	24.5	26.5	26.5	26.5	26.5
H378	7.6	12.8	17.3	19.3	19.3	19.3	19.3
H379	7.8	13	17.5	19.5	19.5	19.5	19.5
H380	12.5	17.7	22.2	24.2	24.2	24.2	24.2
H381	13	18.2	22.7	24.7	24.7	24.7	24.7
H382	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H383	18.7	23.9	28.4	30.4	30.4	30.4	30.4
H384	26.5	31.7	36.2	38.2	38.2	38.2	38.2
H385	14.2	19.4	23.9	25.9	25.9	25.9	25.9
H386	11	16.2	20.7	22.7	22.7	22.7	22.7
H387	12.6	17.8	22.3	24.3	24.3	24.3	24.3
H388	8.1	13.3	17.8	19.8	19.8	19.8	19.8
H389	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H390	11.5	16.7	21.2	23.2	23.2	23.2	23.2
H391	13.8	19	23.5	25.5	25.5	25.5	25.5
H392	11.7	16.9	21.4	23.4	23.4	23.4	23.4
H393	24.5	29.7	34.2	36.2	36.2	36.2	36.2
H394	13.2	18.4	22.9	24.9	24.9	24.9	24.9
H395	12	17.2	21.7	23.7	23.7	23.7	23.7
H396	11.8	17	21.5	23.5	23.5	23.5	23.5
H397	21.3	26.5	31	33	33	33	33
H398	19.8	25	29.5	31.5	31.5	31.5	31.5
H399	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H400	20.8	26	30.5	32.5	32.5	32.5	32.5
H401	15.2	20.4	24.9	26.9	26.9	26.9	26.9
H402	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H403	14.3	19.5	24	26	26	26	26
H404	14.4	19.6	24.1	26.1	26.1	26.1	26.1
H405	15.5	20.7	25.2	27.2	27.2	27.2	27.2
H406	24.7	29.9	34.4	36.4	36.4	36.4	36.4

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H407	8.1	13.3	17.8	19.8	19.8	19.8	19.8
H408	21.3	26.5	31	33	33	33	33
H409	21.5	26.7	31.2	33.2	33.2	33.2	33.2
H410	21.5	26.7	31.2	33.2	33.2	33.2	33.2
H411	21.5	26.7	31.2	33.2	33.2	33.2	33.2
H412	21.6	26.8	31.3	33.3	33.3	33.3	33.3
H413	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H414	26.9	32.1	36.6	38.6	38.6	38.6	38.6
H415	23.6	28.8	33.3	35.3	35.3	35.3	35.3
H416	10.2	15.4	19.9	21.9	21.9	21.9	21.9
H417	18.6	23.8	28.3	30.3	30.3	30.3	30.3
H418	7.2	12.4	16.9	18.9	18.9	18.9	18.9
H419	14.1	19.3	23.8	25.8	25.8	25.8	25.8
H420	18.7	23.9	28.4	30.4	30.4	30.4	30.4
H421	8	13.2	17.7	19.7	19.7	19.7	19.7
H422	7.8	13	17.5	19.5	19.5	19.5	19.5
H423	8.5	13.7	18.2	20.2	20.2	20.2	20.2
H424	8	13.2	17.7	19.7	19.7	19.7	19.7
H425	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H426	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H427	17.1	22.3	26.8	28.8	28.8	28.8	28.8
H428	12.3	17.5	22	24	24	24	24
H429	23.5	28.7	33.2	35.2	35.2	35.2	35.2
H430	23.1	28.3	32.8	34.8	34.8	34.8	34.8
H431	16.6	21.8	26.3	28.3	28.3	28.3	28.3
H432	14.7	19.9	24.4	26.4	26.4	26.4	26.4
H433	18.7	23.9	28.4	30.4	30.4	30.4	30.4
H434	18.5	23.7	28.2	30.2	30.2	30.2	30.2
H435	14.5	19.7	24.2	26.2	26.2	26.2	26.2
H436	12.9	18.1	22.6	24.6	24.6	24.6	24.6
H437	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H438	12.7	17.9	22.4	24.4	24.4	24.4	24.4
H439	15.7	20.9	25.4	27.4	27.4	27.4	27.4
H440	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H441	12.1	17.3	21.8	23.8	23.8	23.8	23.8
H442	22.8	28	32.5	34.5	34.5	34.5	34.5
H443	22.7	27.9	32.4	34.4	34.4	34.4	34.4
H444	23.5	28.7	33.2	35.2	35.2	35.2	35.2
H445	23.4	28.6	33.1	35.1	35.1	35.1	35.1
H446	23.3	28.5	33	35	35	35	35
H447	22.1	27.3	31.8	33.8	33.8	33.8	33.8
H448	24.2	29.4	33.9	35.9	35.9	35.9	35.9
H449	24.1	29.3	33.8	35.8	35.8	35.8	35.8

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H450	24.7	29.9	34.4	36.4	36.4	36.4	36.4
H451	13.1	18.3	22.8	24.8	24.8	24.8	24.8
H452	19	24.2	28.7	30.7	30.7	30.7	30.7
H453	20.1	25.3	29.8	31.8	31.8	31.8	31.8
H454	15.1	20.3	24.8	26.8	26.8	26.8	26.8
H455	21.7	26.9	31.4	33.4	33.4	33.4	33.4
H456	18.7	23.9	28.4	30.4	30.4	30.4	30.4
H457	24.5	29.7	34.2	36.2	36.2	36.2	36.2
H458	22.4	27.6	32.1	34.1	34.1	34.1	34.1
H459	17.6	22.8	27.3	29.3	29.3	29.3	29.3
H460	18	23.2	27.7	29.7	29.7	29.7	29.7
H461	22.9	28.1	32.6	34.6	34.6	34.6	34.6
H462	22.2	27.4	31.9	33.9	33.9	33.9	33.9
H463	13.8	19	23.5	25.5	25.5	25.5	25.5
H464	10.8	16	20.5	22.5	22.5	22.5	22.5
H465	8.4	13.6	18.1	20.1	20.1	20.1	20.1
H466	7.8	13	17.5	19.5	19.5	19.5	19.5
H467	15.4	20.6	25.1	27.1	27.1	27.1	27.1
H468	14.2	19.4	23.9	25.9	25.9	25.9	25.9
H469	23.9	29.1	33.6	35.6	35.6	35.6	35.6
H470	25.2	30.4	34.9	36.9	36.9	36.9	36.9
H471	10.9	16.1	20.6	22.6	22.6	22.6	22.6
H472	14.3	19.5	24	26	26	26	26
H473	12.2	17.4	21.9	23.9	23.9	23.9	23.9
H474	23.4	28.6	33.1	35.1	35.1	35.1	35.1
H475	16.5	21.7	26.2	28.2	28.2	28.2	28.2
H476	18.6	23.8	28.3	30.3	30.3	30.3	30.3
H477	22.6	27.8	32.3	34.3	34.3	34.3	34.3
H478	21.5	26.7	31.2	33.2	33.2	33.2	33.2
H479	12.3	17.5	22	24	24	24	24
H480	15.9	21.1	25.6	27.6	27.6	27.6	27.6
H481	16	21.2	25.7	27.7	27.7	27.7	27.7
H482	13.5	18.7	23.2	25.2	25.2	25.2	25.2
H483	15.2	20.4	24.9	26.9	26.9	26.9	26.9
H484	24.2	29.4	33.9	35.9	35.9	35.9	35.9
H485	12.1	17.3	21.8	23.8	23.8	23.8	23.8
H486	24.6	29.8	34.3	36.3	36.3	36.3	36.3
H487	21.6	26.8	31.3	33.3	33.3	33.3	33.3
H488	21.2	26.4	30.9	32.9	32.9	32.9	32.9
H489	19.7	24.9	29.4	31.4	31.4	31.4	31.4
H490	12.8	18	22.5	24.5	24.5	24.5	24.5
H491	18.1	23.3	27.8	29.8	29.8	29.8	29.8
H492	18.3	23.5	28	30	30	30	30

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H493	18.3	23.5	28	30	30	30	30
H494	18.3	23.5	28	30	30	30	30
H495	18.4	23.6	28.1	30.1	30.1	30.1	30.1
H496	18.4	23.6	28.1	30.1	30.1	30.1	30.1
H497	18	23.2	27.7	29.7	29.7	29.7	29.7
H498	18	23.2	27.7	29.7	29.7	29.7	29.7
H499	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H500	17.9	23.1	27.6	29.6	29.6	29.6	29.6
H501	18	23.2	27.7	29.7	29.7	29.7	29.7
H502	18.2	23.4	27.9	29.9	29.9	29.9	29.9
H503	18.3	23.5	28	30	30	30	30
H504	18.4	23.6	28.1	30.1	30.1	30.1	30.1
H505	18.8	24	28.5	30.5	30.5	30.5	30.5
H506	19.2	24.4	28.9	30.9	30.9	30.9	30.9
H507	18.8	24	28.5	30.5	30.5	30.5	30.5
H508	19	24.2	28.7	30.7	30.7	30.7	30.7
H509	19.8	25	29.5	31.5	31.5	31.5	31.5
H510	11.6	16.8	21.3	23.3	23.3	23.3	23.3
H511	11.6	16.8	21.3	23.3	23.3	23.3	23.3
H512	13.1	18.3	22.8	24.8	24.8	24.8	24.8
H513	17.1	22.3	26.8	28.8	28.8	28.8	28.8
H514	16.3	21.5	26	28	28	28	28
H515	13.2	18.4	22.9	24.9	24.9	24.9	24.9
H516	12.5	17.7	22.2	24.2	24.2	24.2	24.2
H517	14	19.2	23.7	25.7	25.7	25.7	25.7
H518	19.5	24.7	29.2	31.2	31.2	31.2	31.2
H519	14.3	19.5	24	26	26	26	26
H520	16.8	22	26.5	28.5	28.5	28.5	28.5
H521	14.3	19.5	24	26	26	26	26
H522	28.1	33.3	37.8	39.8	39.8	39.8	39.8
H523	6.3	11.5	16	18	18	18	18
H524	6.8	12	16.5	18.5	18.5	18.5	18.5
H525	6.7	11.9	16.4	18.4	18.4	18.4	18.4
H526	6.7	11.9	16.4	18.4	18.4	18.4	18.4
H527	6.7	11.9	16.4	18.4	18.4	18.4	18.4
H528	16.7	21.9	26.4	28.4	28.4	28.4	28.4
H529	6.4	11.6	16.1	18.1	18.1	18.1	18.1
H530	6.2	11.4	15.9	17.9	17.9	17.9	17.9
H531	6.3	11.5	16	18	18	18	18
H532	7.7	12.9	17.4	19.4	19.4	19.4	19.4
H533	6.9	12.1	16.6	18.6	18.6	18.6	18.6
H534	6.9	12.1	16.6	18.6	18.6	18.6	18.6
H535	28.9	34.1	38.6	40.6	40.6	40.6	40.6

NSL	Predicted L _{A90} Levels (dB) at Various Standardised 10m Height Wind Speeds						
	3	4	5	6	7	8	9
H536	16.9	22.1	26.6	28.6	28.6	28.6	28.6
H537	12.5	17.7	22.2	24.2	24.2	24.2	24.2
H538	12.7	17.9	22.4	24.4	24.4	24.4	24.4
H539	15.8	21	25.5	27.5	27.5	27.5	27.5
H540	21.1	26.3	30.8	32.8	32.8	32.8	32.8
H541	14.5	19.7	24.2	26.2	26.2	26.2	26.2
H542	16.7	21.9	26.4	28.4	28.4	28.4	28.4

