



Preliminary Environmental Information Report: Chapter 4 - Landscape and Visual Resources (Part 2)

Date: July 2017





# **Hornsea Project Three**

# **Offshore Wind Farm**





**Environmental Impact Assessment** 

Preliminary Environmental Information Report

Volume 3

Chapter 4: Landscape and Visual Resources

Liability

This report has been prepared by RPS, with all reasonable skill, care and diligence within the terms of their contracts with DONG Energy Power (UK) Ltd.

Report Number: P6.3.4

Version: Final

Date: July 2017

This report is also downloadable from the Hornsea Project Three offshore wind farm website at: <a href="http://www.dongenergy.co.uk/hornseaproject3">www.dongenergy.co.uk/hornseaproject3</a>

DONG Energy Power (UK) Ltd.	
5 Howick Place,	Prepared by: RPS
London, SW1P 1WG	Checked by: Jennifer Brack
© DONG Energy Power (UK) Ltd, 2017. All rights reserved	Accepted by: Sophie Banham
Front cover picture: Kite surfer near one of DONG Energy's UK offshore wind farms © DONG Energy Hornsea Project Three (UK) Ltd., 2016.	Approved by: Stuart Livesey







#### Methodology to inform the baseline 4.6

- 4.6.1.1 This methodology relates to the baseline conditions which were identified by a desktop review of:
  - Published seascape and landscape character assessments; •
  - Ordnance Survey 1:25,000 mapping; and •
  - Meteorological Office visibility data.
- 4.6.1.2 A number of site visits were also conducted in order to establish the existing landscape character and to identify the likely views available for the various landscape and visual receptors that are located within the onshore cable route 1 km study area, the three main onshore construction compound 1 km study areas, the HVAC booster station 5 km study area and the HVDC converter/HVDC substation 5 km study area. More information on the selection of the study area is provided in section 4.3.

#### Desktop study

4.6.1.3 Information on the landscape and visual resources within the onshore cable corridor, onshore HVAC booster station and onshore HVDC converter/HVAC substation was collected through a detailed desktop review of existing studies and datasets. These are summarised at Table 4.4 below.

	Table 4.4:	Summary of key desktop reports.	
--	------------	---------------------------------	--

Title	Source	Year	Author
Seascape Characterisation around the English Coast (Marine Plan Areas 3 and 4 and Part of Area 6 Pilot Study) Report no. NECR106	Natural England website (accessed 03 March 2017)	2012	URS Scott Wilson for Natural England
Seascape character area assessment East Inshore and East Offshore marine plan areas	UK Government website (accessed 03 March 2017)	2012	Marine Management Organisation
East Inshore and East Offshore Marine Plans	UK Government website (accessed 03 March 2017)	2014	Marine Management Organisation
National Character Area Profiles	UK Government website (accessed 03 March 2017)	2014	Natural England
East of England Landscape Typology	Landscape East website (accessed 03 March 2017)	2011	Landscape East
North Norfolk Landscape Character Assessment	North Norfolk District Council website (accessed 03 March 2017).	2009	North Norfolk District Council Planning Policy Team
Broadland District Landscape Character Assessment	Broadland District Council website (accessed 03 March 2017).	2008 (updated 2013)	Chris Blandford Associates

Title	Source	Year	Author
South Norfolk District Landscape Character Assessment	South Norfolk District Council website (accessed 03 March 2017)	2001	Land Use Consultants
South Norfolk District Landscape Designations Review	South Norfolk District Council website (accessed 03 March 2017)	2012	Chris Blandford Associates
Norfolk Coast Area of Outstanding Natural Beauty Integrated Landscape Guidance	Norfolk Coast AONB website (accessed 03 March 2017)	2014	Norfolk Coast Partnership
Visibility data (2006 to 2016)	Meteorological Office	2017	Meteorological Office

## **Designated Sites**

- 4.6.1.4 All designated sites within the landscape and visual resources study areas that could be affected by the construction, operation and maintenance, and decommissioning of the onshore and landfall elements of the Hornsea Three, were identified using the three step process described below:
  - include The Broads, the North Norfolk Coast AONB and several Registered Parks and Gardens.
  - landscape designations.
  - for further consideration if:
    - A landscape designation directly overlaps with Hornsea Three; and 0
    - 0 associated with Hornsea Three.
- Designated landscapes considered in this assessment are illustrated on Figure 4.4 and the key 4.6.1.5 characteristics summarised in volume 6, annex 4.4: Key Characteristics of Designated Landscapes.



Chapter 4 - Landscape and Visual Resources Preliminary Environmental Information Report July 2017

Step 1: All landscape designations of international, national and local importance within the study area 1 km for the onshore cable route, 5 km for the onshore HVAC booster station and onshore HVAC converter/HVDC substation were identified using a number of sources. The designated sites Step 2: Information was compiled on the relevant features and special qualities for each of these

Step 3: Using the above information and expert judgement, landscape designations were included

Landscape designations and associated features were located within the study area





#### Site specific surveys

4.6.1.6 Viewpoint locations were selected as a result of desktop surveys that included the generation of ZTVs. The viewpoints are designed to provide a representation of views available in a variety of directions and from a variety of distances. The viewpoints are selected because they are located on publically accessible locations such as PRoWs and coincide with the ZTV. Site visits were undertaken on the 6 and 7 December 2016 (winter conditions) to undertake Viewpoint photography for the onshore HVAC booster station and onshore HVDC converter/HVAC substation. These baseline photos accompanied the list of proposed viewpoint locations during consultation with the relevant LPAs. Additional viewpoints were subsequently requested by the LPAs requiring additional photography. Further site visits were therefore undertaken from 8 to the 10 March 2017 and from the 15 to the 17 March 2017 (spring conditions) to undertake the additional viewpoint photography as well as record the landscape character of the study areas and identify potential visual receptors within the study area.

#### 4.7 **Baseline environment**

- 4.7.1.1 This section reviews the landscape and visual resources of the location and the surrounding areas of the onshore components of Hornsea Three, comprising the landfall, onshore cable corridor, the onshore HVAC booster station, the onshore HVDC converter/HVAC substation site and the connection with the Norwich Main Substation. Landscape and visual resources that are within the cable corridor 1 km study area, the onshore HVAC booster station 5 km study area and the onshore HVDC converter/HVAC substation 5km study area, and are coincident with the ZTV, are considered to make up the baseline environment for this PEIR assessment. Although resources located outside the identified study areas may be influenced by aspects of the proposed development, they are not likely to witness any significant effects either direct or indirect and as such, have not been included in the baseline assessment. This approach has been adopted in order to identify the likely significant effects while providing a proportionate assessment in line with GLVIA3.
- 4.7.1.2 Landscape and seascape character assessments have been published by Natural England, the District Councils and the AONB Partnership.
- The onshore components have been divided, as follows: 4.7.1.3
  - Onshore cable corridor landfall; •
  - Onshore cable corridor south of the beach, western option;
  - Onshore cable corridor south of the beach, eastern option;
  - Onshore cable corridor to the south of the convergence of the western and eastern options, including the corridor to and from the HVAC booster station and the HVDC converter/HVAC substation and the route to Norwich Main Substation;
  - Onshore HVAC booster station; and
  - Onshore HVDC converter/HVAC substation and connection to Norwich Main Substation...

Due to the differences in the extents of the study areas for the onshore cable corridor and the onshore 4.7.1.4 HVAC booster station and onshore HVDC converter/HVAC substation, this chapter considers the baseline environment of these different elements separately.

# Designated Seascape and Landscape Resources within the Study Areas

- 4.7.1.5 The Norfolk Coast AONB Management Plan (2014-2019) sets out the Special Qualities of the AONB. A summary of the special gualities is set out in volume 6, annex 4.4. The Norfolk Coast AONB Integrated Management Landscape Guidance, identifies the landscape baseline of the designation which is defined by the various Landscape Character Types and Landscape Character Areas that it has been divided into. The Landscape Character Types and Landscape Character Areas that the onshore cable corridor 1km study area is coincident with. The key characteristics of the LCTs and LCAs for the Norfolk Coast AONB that the cable corridor 1km study area, lie within are summarised in volume 6, annex 4.4: Key Characteristics of Designated Landscapes, and illustrated on Figure 4.4.
- The Broads Landscape Character Assessment (2006) identifies the Local Character Areas that make up 4.7.1.6 the Broads National Park and define the landscape baseline of the designation. The key characteristics of the Local Character Areas which lie within the study areas are set out in volume 6, annex 4.4: Key Characteristics of Designated Landscapes, and the location of Hornsea Three onshore infrastructure in relation to them is illustrated on Figure 4.4.

# Undesignated Seascape and Landscape Resources within the Study Areas

#### National Seascape Character Areas (NSCAs)

- In October 2012, Natural England published the final version of Report NECR106 'Seascape 4.7.1.7 Characterisation around the English Coast (Marine Plan Areas 3 and 4 and Part of Area 6 Pilot Study)'. The Hornsea Three onshore cable corridor 1 km study area falls within part of Marine Plan Areas 3 and 4 as well as Marine Management Organisation Area 3. The document identifies NSCAs which present the seascape character baseline at a national level. The NSCAs that are coincident with the onshore cable corridor 1 km study area are:
  - East Midlands Coastal Waters; and
  - Norfolk Coastal Waters.
- The onshore HVAC booster station and onshore HVDC converter/HVAC substation study areas do not 4.7.1.8 coincide with any NSCAs.
- 4.7.1.9 Key characteristics for these areas are outlined in volume 6, annex 4.2: Key Characteristics of National Seascape and LCAs, and the location of Hornsea Three onshore infrastructure in relation to them is illustrated on Figure 4.7.







#### National Character Areas (NCAs)

- 4.7.1.10 Natural England has produced a series of national countryside character reports, which identified the baseline landscape character of England at a national level. The NCAs that are coincident with at least one of the onshore study areas are:
  - NCA77: North Norfolk Coast;
  - NCA88: Central Norfolk;
  - NCA83: South Norfolk and High Suffolk Claylands; and
  - NCA84: Mid Norfolk.
- 4.7.1.11 Key characteristics for these NCAs are outlined in volume 6, annex 4.2: Key Characteristics of National Seascape and LCAs, and the location of Hornsea Three onshore infrastructure in relation to them is illustrated Figure 4.6.

#### Local Landscape Character Types and Areas (LCTs and LCAs)

- 4.7.1.12 The proposed onshore cable corridor, onshore HVAC booster station and onshore HVDC converter/HVAC substation are located within three districts, North Norfolk, Broadland and South Norfolk. The boundaries of the districts (local authorities) and the parishes within them are illustrated on Figure 4.1, Figure 4.2 and Figure 4.3. The landscape baseline for each of the three district councils is presented in the North Norfolk Landscape Character Assessment (2009), the Broadland District Council Landscape Character Assessment (2013), and the South Norfolk Landscape Character Assessment (2001).
- 4.7.1.13 The key characteristics of the local LCTs and LCAs that are coincident with at least one of the onshore study areas are summarised in volume 6, annex 4.3: Key Characteristics of Local Landscape Areas. The location of Hornsea Three onshore infrastructure in relation to the local LCTs and LCAs is illustrated on Figure 4.7, Figure 4.8 and Figure 4.9.









Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 1 of 10.







Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 2 of 10.







Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 3 of 10.









Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 4 of 10.

(23	5km Buffer from onshore station - permanent	HVAC booster
	1km Buffer from onshore search area	cable corridor
	Parish boundary	
	Registered Park and Gard	den
	Ancient Woodland	
a Doved		
THE MACH	man and a second	Norwich Great or when the second seco
THE WASH bursten Devianity The Waster Devianity The Waster Proje	All	Comer Solar Solar Scale@A3:1:40,000 Vertical reference: Newlyn tres
Ittle WASH Buesteen Derslend Downham Warket Proje 0 1 Refer Proje 0	All of the set of the	Comer Solar Norvich Scale@A3:1:40,000 Vertical reference: Newlyn tres
THE INCOME	All and a second	Scale@A3:1:40,000 Vertical reference: Newlyn







Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 5 of 10.



<ul> <li>Parish boundary</li> <li>Registered Park and Garden</li> <li>Ancient Woodland</li> </ul>	sea	m Buffer from onshore cable arch area	e corridor
Registered Park and Garden Ancient Woodland	Pa	rish boundary	
Ancient Woodland	Re	gistered Park and Garden	
Skegness	An	cient Woodland	
Skegness			
and a los of a structure	Skegness	Anarovský výšile. Súšeny Rosti net tile sv. nov Aus Burošan Burošan	
	Demander Demander Demander Ming Ankert Arker	e System : OSGB36 0.5 1 Kilometres	And the second s
REV REMARK DATE	HE WASH Puersandor of Demandary of The Arriver Method of the Arr	e System : OSGB36 n : BNG 0.5 1 Kilometres REMARK	Scale@A3:1:40,000 Vertical reference: Newlyn
REV         REMARK         DATE           00         Initial Issue         01/07/17	HE WASH HUNSHAMON OF Development of A state A statee A statee A	e System : OSGB36 n : BNG 0.5 1 Kilometres REMARK Initial Issue	Scale@A3:1:40,000 Vertical reference: Newlyr DATE 01/07/17
REV         REMARK         DATE           00         Initial Issue         01/07/17	AC UNCL PUPERATION OF A Development of a Comparison of	e System : OSGB36 n : BNG 0.5 1 Kilometres REMARK	Scale@A3:1:40,000 Vertical reference: Newlyr
REV     REMARK     DATE       00     Initial Issue     01/07/17       Hornsea Project Three Landscape designations and relevant planing policy areas Sheet 5	Projection REV 00	e System : OSGB36 n : BNG 0.5 1 Kilometres REMARK Initial Issue Hornsea Projec Landscape desig and relevant planing f Sheet 5	Arrent Cateron See Arrent Varmouth Scale@A3:1:40,000 Vertical reference: Newlyn DATE 01/07/17 t Three nations poolicy areas







Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 6 of 10.









Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 7 of 10.











Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 8 of 10.









Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 9 of 10.











Figure 4.4: Landscape Designations and relevant planning policy areas Sheet 10 of 10.









Figure 4.5: National Designated Landscape Character Areas Sheet 1 of 2.



	hore cable corridor search are	ea
Ons	hore HVAC booster station - p	permanent
Ons	hore HVAC booster station - te	emporary
5km	Buffer from onshore HVAC bo nanent	ooster station -
1km	Buffer from onshore cable co	rridor search area
Norf	olk Coast Area of Outstanding	Natural Beauty
Norfolk (	Coast AONB Character Asse	ssment
Coa She	stal Towns and Villages, CTV <sup>·</sup> ringham	1 : Weybourne to
Coa Ove	stal Towns and Villages, CTV2 rstrand	2 : Sheringham to
Drai	ned Coastal Marshes, DCM7	: Cley/Salthouse
Larg	e Valley, LV2 : Wiveton to Let	heringsett
Ope	n Coastal Marshes, OCM8 : N	Norston to Blakeney
Roll	ing Heath and Arable, RHA1 :	Blakeney
Roll	ng Heath and Arable, RHA2 :	Salthouse & Kelling
Trib	utary Farmland, TF1 : Morston	n & Hindringham
Trib Ayln	utary Farmland, TF2 : Hempst herton	ead, Bodham,
Woo	ded with Parkland, WP2 : Hol	t to Cromer
Reference	e System : OSGB36 Si	cale@A3:1:63,360
Referenc Projection 0	e System : OSGB36 Si h : BNG Va 1 2 Kilomet	cale@A3:1:63,360 ertical reference: Newly res
Reference Projection 0 REV	e System : OSGB36 Si h : BNG Vi 1 2 Kilomet	cale@A3:1:63,360 ertical reference: Newly ires DATE
Reference Projection 0 REV 00	e System : OSGB36 So 1 : ENG Vo 1 2 Kilomet REMARK Initial Issue	cale@A3:1:63,360 ertical reference: Newly res DATE 01/07/17
Referenc Projection 0 REV 00	e System : OSGB36 Si : BNG Ve 1 2 Kilomet REMARK Initial Issue	cale@A3:1:63,360 ertical reference: Newly res DATE 01/07/17
Reference Projection 0 REV 00	e System : OSGB36 Si 1 : ENG Vi 1 2 Kilomet REMARK Initial Issue Hornsea Project	cale@A3:1:63,360 ertical reference: Newly res DATE 01/07/17 Chree
Referenc Projection 0 REV 00 Nation	e System : OSGB36 Sin : BNG Vi 1 2 Kilomet REMARK Initial Issue Hornsea Project T ally Designated Landscap Sheet 1	cale@A3:1:63,360 ertical reference: Newly res DATE 01/07/17 Dhree pe Character Area





Figure 4.5: National Designated Landscape Character Areas Sheet 2 of 2.



Ons	hore cable corridor search area	
	hore HVDC converter/HVAC su	bstation - permanent
Ons	hore HVDC converter/HVAC su	bstation - temporary
Skm	Buffer from onshore HVDC constation - permanent	nverter/HVAC
1km	Buffer from onshore cable corr	idor search area
The	Broads National park	
The Broa	nds Landscape Character Ass	essment
Reference Projectio 0	e System≑OSGB36 Sca n : BNG Ver 0,5 1 Kilometres	ale@A3:1:35.000 tical reference: Newlyn
Reference Projectio 0	e System : OSGB36 Sca n : BNG Ver 0.5 1 Kilometres REMARK	ble@A3:1:35.000 tical reference: Newlyn
Reference Projectio 0 L L L REV 00	e System : OSGB36 Sca n : BNG Ver 0,5 1 Kilometres REMARK Initial Issue	ble@A3:1:35.000 tical reference: Newlyn DATE 01/07/17
Reference Projectio 0 REV 00	e System : OSGB36 Sca n : BNG Ver 0,5 1 Kilometres REMARK Initial Issue	ile@A3:1:35,000 tical reference: Newlyn DATE 01/07/17
Reference Projectio 0 REV 00 Nation	e System : OSGB36 Sca n : BNG Ver 0.5 1 Kilometres REMARK Initial Issue Hornsea Project T ally Designated Landscape Sheet 2	ble@A3:1:35,000 tical reference: Newlyn







Figure 4.6: National Seascape and National Landscape Character Areas.



0		Onsho	ore cab	le corrie	dor sea	rch area	a	
ĩ	<b>:</b>	5km E berma substa	Buffer fr anent a ation - p	om ons nd onsh perman	hore H hore HV ent	VAC bo DC cor	oster sta iverter/ł	ation - HVAC
-		1km E	Buffer fr	om ons	hore ca	ble cor	ridor se	arch area
1	Vatio	nal C	haract	er Area	IS			
	-	76 - N	orth W	est Nor	folk			
1		77 - N	orth No	orfolk C	oast			
		78 - C	entral I	North N	orfolk			
1		79 - N	orth Ea	ast Norf	olk and	Flegg		
	8	30 - T	he Broa	ads				
		32 - S	uffolk (	Coast a	nd Heat	ths Cuffell	Claula	a da
		53 - 5 84 - M	lid Nor	onoik a	na Higr	Sunon	Clayla	nas
		35 - B	recklar	nd				
-	Seas	cape	Charac	cter Are	eas	Votor		
		- Ea	st Wildla	oastal V	Vatere	vaters		
		- INC	TOIR O	Jusial V	101013			
F	Refere	nnce S	ystem : (	OSGB36		Scale	@A3:1:2	50,000
F	Refere	ince Si tion : E	ystem : ( NG	OSGB36		Scale Vertic	@A3:1:2 al refere	150,000 nce: Newlyr
FF	Refere Projec	ince Si tion : E	ystem : ( 3NG 4 Ki ⊥⊥⊥	OSGB36		Scale Vertic	@A3:1:2 al refere	150,000 nce: Newlyr
F	Refere Projec	ince S ition : E 2	ystem : ( BNG 4 Ki	OSGB36		Scale Vertic	@A3:1:2 al refere	50,000 nce: Newlyn
FF	Refere Projec	ince S tion : E	ystem : ( BNG 4 Ki LLL REMAR	OSGB36 lometres K		Scale Vertic	@A3:1:2 al refere	50,000 nce: Newlyr DATE
F F C C	Refere Projec ) REV 10	ince S tion : E 2	ystem : 0 SNG 4 Ki LLL REMAR Initial Iss	OSGB36 lometres K ue		Scale Vertic	@A3:1:2 al refere	50,000 nce: Newlyr DATE 01/07/17
F	Refere Projec ) REV 00	nce S tion : E 2	ystem : ( SNG 4 Ki REMAR Initial Iss	OSGB36 lometres K ue		Scale Vertic	@A3:1:2 al refere	50,000 nce: Newlyr DATE 01/07/17
F F C	Referer Projec	nce S tion : E 2	ystem : ( SNG 4 Ki LLL Initial Iss	OSGB36 lometres K ue		Scale Vertic	@A3:1:2 al refere	50,000 nce: Newlyr DATE 01/07/17
F F C C	Refere Projec ) REV	nce S tion : E 2 	ystem : 0 SNG 4 Ki LLL REMAR Initial Iss	OSGB36 lometres K ue Ornsea	a Proj	Scale Vertic	@A3:1:2 al refere	250,000 nce: Newlyn 01/07/17
F F C	Refere Projec ) REV 00	nce S tion : E 2 	A Ki REMAR Initial Iss He Iationa	OSGB36 Iometres K ue Ornsea al lands	a Proj	Scale Vertic	@A3:1:2 al refere	50,000 nce: Newlyn 01/07/17
F F C	Refere Projec	Ince Si tion : E 2 	REMAR Initial Iss	OSGB36 lometres K ue Ornsea al lands	a Proj scape	Scale Vertic	@A3:1:2 al refere	250,000 nce: Newlyn 01/07/17
	Refere Projec ) REV )00	N RPS-9: by: CR	ystem : ( BNG 4 Ki LIII Initial Iss Hi Iationa	OSGB36 lometres k ue Ornsea al lands	a Proj scape	Scale Vertic	@A3:1:2 al refere	250,000 nce: Newlyn DATE 01/07/17 Pas

