Mid-Atlantic Survey Activity Mariners Briefing

Date of notice: September 8, 2020 Notice no. 067

Overview

These briefings are intended to update mariners on marine operations for the Mid-Atlantic survey activities. Survey operations are planned for locations throughout the lease area (see chart) and are expected to last several months. These operations involve only the survey phase of the projects.

Mariners briefings are submitted as needed to the U.S. Coast Guard and distributed to the fishing community and interested mariners on our website at: <u>us.orsted.com/mariners</u> or via email upon request through Rodney Avila (RODAV@orsted.com).

Vessels will designate a working channel on VHF 16 daily at 0600 and 1800

About the wind farms

Ocean Wind (OCW), with the support of PSEG, is a planned offshore wind farm located 15 miles off the New Jersey coast. OCW will contain an offshore substation and a subsea transmission system able to deliver clean energy to the New Jersey electrical grid.

Ongoing OCW survey activities

- Projected Beginning: April 2019
- Projected End: September 2020

Contact

For fisheries related inquiries:

Rodney Avila

Corporate Fisheries Liaison

Phone: 857.332.4479

Email: RODAV@orsted.com

Kara Gross

Mid-Atlantic Fisheries Ligison

Phone: 857.330.7699

Email: KARGR@orsted.com

Ross Pearsall

Fisheries Stakeholders Relations Manager

Phone: 857.278.2442

Email: ROSPE@orsted.com





Shearwater

MV Shearwater is used for geotechnical

surveying. Flag: USA LOA: 109 ft Beam: 39 ft

Call Sign: WDF5838 IMO: 8993966

Project: Ocean Wind



Vessel name	Site function	Project	Activity	Projected outlook
Shearwater	Geotechnical survey vessel	Ocean Wind	Vessel will transit from Atlantic City to lease area and Oyster Creek cable route to continue survey activities	Vessel will continue survey activities along lease area and Oyster Creek cable route



^{**}All Mariners transiting or fishing in the survey area are requested to give a wide berth to survey vessels as they may be limited in their ability to maneuver (VRAM) and towing gear out to 300 meters behind the vessel. Vessels in the vicinity of the survey vessels should operate in a manner that will not endanger the vessel or associated equipment**

